

REFERENCES CITED

- American College of Physicians. (1994). Guide for adult immunization, 3rd ed. Philadelphia, PA: American College of Physicians.
- Anderson GH, Boyes DA, Benedet JL, et al. (1988). Organisation and results of the cervical cytology screening programme in British Columbia, 1955-85. BMJ, 296, 975-978.
- Atri J, Falshaw M, Gregg R, Robson J, Omar RZ, Dixon S. (1997). Improving uptake of breast screening in multiethnic populations: a randomised controlled trial using practice reception staff to contact non-attenders. BMJ, 315, (7119), 1356-9.
- Beck A, Scott J, Williams P, Robertson B, Jackson D, Gade G, Cowan P. (1997). A randomized trial of group outpatient visits for chronically ill older HMO members: the cooperative health care clinic [see comments]. J Am Geriatr Soc, 45, (5), 543-9.
- Bejes C, Marvel K. (1992). Attempting the improbable: Offering colorectal cancer screening to all appropriate patients. Fam Pract Res J, 12, (1), 83-90.
- Belcher DW. (1990). Implementing preventive services. Arch Intern Med, 150, 2533-2541.
- Benedet JL, Anderson GH, Matisic JP. (1992). A comprehensive program for cervical cancer detection and management. Am J Obstet Gynecol, 166, 1254-1259.
- Bennett NM, Buffington J, LaForce FM. (1992). Pneumococcal bacteremia in Monroe County, New York. Am J Public Health, 82, 1513-1516.
- Binstock MA, Geiger AM, Hackett JR, Yao JF. (1997). Pap smear outreach: a randomized controlled trial in an HMO. Am J Prev Med, 13, (6), 425-6.

- Boon ME, de Graaf Guilloud JC, Rietveld WJ, Wijsman-Grootendorst A. (1990). Effect of regular 3-yearly screening on the incidence of cervical smears: The Leiden experience. Cytopathology, 1, 201-210.
- Brady WJ, Hissa DC, McConnell M, Wones RG. (1988). Should physicians perform their own quality assurance audits? J Gen Intern Med, 3, 560-565.
- Breiman RF, Spika JS, Navarro VJ, et al. (1990). Pneumococcal bacteremia in Charleston County, South Carolina: A decade later. Arch Intern Med, 150, 1401-1405.
- Buchner DM, Larson EB, White RF. (1987). Influenza vaccination in community elderly. A controlled trial of postcard reminders. J Am Geriatr Soc, 35, (8), 755-60.
- Burton LC, German PS, Shapiro S. (1997). A preventive services demonstration. Health status, health behaviors, and cost outcomes 2 years after intervention. The Johns Hopkins Medicare Preventive Services Demonstration Team. Med Care, 35, (11), 1149-57.
- Cecchini S, Grazzini G, Bartoli D, Ciatto S. (1989). An attempt to increase compliance to cervical cancer screening through general practitioners. Tumori, 75, 615-618.
- Centers for Disease Control and Prevention (1995b). Influenza and pneumococcal vaccination coverage levels among persons aged greater than or equal to 65 years – United States, 1973-1993. Morbidity and Mortality Weekly Report, 44(27), 506-507, 513-515.
- Centers for Disease Control and Prevention. (1995a). Prevention and control of influenza: Recommendations of the Advisory Committee on Immunization Practices (ACIP). Morbidity and Mortality Weekly Report, 44(RR-3), 1-22.

- Centers for Disease Control and Prevention. (1996). Prevention and control of influenza: Recommendations of the Advisory Committee on Immunization Practices (ACIP). Morbidity and Mortality Weekly Report, 45(RR-5), 1-24.
- Centers for Disease Control and Prevention. (1997). Missed opportunities for pneumococcal and influenza vaccination of Medicare pneumonia inpatients – 12 western states, 1995. Morbidity and Mortality Weekly Report, 46(39), 919-923.
- Cherkin DC, Grothaus L, Wagner EH. (1990). The effect of office visit copayments on preventive care services in an HMO. Inquiry, 27, (1), 24-38.
- Clementz GL, Aldag JC, Gladfelter TT, Barclay AM, Brooks HF. (1990). A randomized study of cancer screening in a family practice setting using a recall model. J Fam Pract, 30, (5), 537-41.
- Costa MJ, Grimes C, Tackett E, Naib ZM. (1991). Cervicovaginal cytology in an indigent population: Comparison of results for 1964, 1981 and 1989. Acta Cytol, 35, 51-56.
- Cramer DW. (1974). The role of cervical cytology in the declining morbidity and mortality of cervical cancer. Cancer, 34, 2018-2027.
- Dales LG, Friedman GD, Collen MF. (1979). Evaluating periodic multiphasic health checkups: a controlled trial. J Chronic Dis, 32, (5), 385-404.
- Dietrich AJ, O'Connor GT, Keller A, Carney PA, Levy D, Whaley FS. (1992). Cancer: Improving early detection and prevention. A community practice randomized trial. Br Med J, 304, 687-691.
- Fedson DS, Wajda A, Nicol JP, et al. (1993). Clinical effectiveness of influenza vaccination of Manitoba [published erratum in JAMA 1994;271:1578]. JAMA, 270, 1956-1961.

- Fletcher SW, Harris RP, Gonzalez JJ, Degnan D, Lannin DR, Strecher VJ, Pilgrim C, Quade D, Earp JA, Clark RL. (1993). Increasing mammography utilization: A controlled study. J Natl Cancer Inst, 85, (2), 112-120.
- Frame PS, Zimmer JG, Werth PL, Hall WJ, Eberly SW. (1994). Computer-based vs. manual health maintenance tracking. Arch Fam Med, 3: 581-588.
- Freedman JD, Mithcell CK. (1994). A simple strategy to improve patient adherence to outpatient fecal occult blood testing. J Gen Intern Med, 9, (8), 462-4.
- Haglund LA, Istre GR, Pickett DA, et al. (1993). Invasive pneumococcal disease in Central Oklahoma: Emergence of high-level penicillin resistance and multiple antibiotic resistance. J Infect Dis, 168, 1532-1536.
- Herman CJ, Speroff T, Cebul RD. (1994). Improving compliance with immunization in the older adult: results of a randomized cohort study [see comments]. J Am Geriatr Soc, 42, (11), 1154-9.
- Herman CJ, Speroff T, Cebul RD. (1995). Improving compliance with breast cancer screening in older women. Arch Intern Med, 155, 717-722.
- Hogg WE, Bass M, Calonge N, Crouch H, Satenstein G. (1998) Randomized controlled study of customized preventive medicine reminder letters in a community practice. Can Fam Physician, 44, 81-88.
- Hulscher ME, et al. (1999). Interventions to improve the delivery of preventive services in primary care. Am J Public Health, 89(5), 737-46.
- Hutchison BG. (1989). Effect of computer-generated nurse/physician reminders on influenza immunization among seniors. Fam Med, 21, 433-437.

Jacobson TA, Thomas DM, Morton FJ, Offutt F, Shevlin J, Ray S. (1999). Use of a low-literacy patient education tool to enhance pneumococcal vaccination rates. A randomized controlled trial. JAMA, 282, (7), 646-650.

Jette LP, Lamothe F, and the Pneumococcus Study Group. (1989). Surveillance of invasive *Streptococcus pneumoniae* infection in Quebec, Canada, from 1984 to 1986: Serotype distribution, antimicrobial susceptibility, and clinical characteristics. J Clin Microbiol, 27, 1-5.

Johanneson G, Geirsson G, Day N. (1978). The effect of mass screening in Iceland, 1965-1974, on the incidence and mortality of cervical carcinoma. Int J Cancer, 21, 418-425.

Kaiser Permanente. (1994). Physician performance: Measuring it, affecting it, and the correlation with physician satisfaction. Unpublished report.

Keeler EB, Sloss EM, Brook RH, Operskalski BH, Goldberg GA, Newhouse JP. (1987). Effects of cost sharing on physiological health, health practices, and worry. Health Serv Res, 22, (3), 279-306.

King ES, Rimer BK, Seay J, Balslem A, Engstrom PF. (1994). Promoting mammography use through progressive interventions: Is it effective? Am J Public Health, 84, (1), 104-6.

Klein RS, Adachi N. (1986). An effective hospital-based pneumococcal immunization program. Arch Intern Med, 146, (2), 327-9.

Kouides RW, Bennett NM, Lewis B, Cappuccio JD, Barker WH, LaForce FM. (1998). Performance-based physician reimbursement and influenza immunization rates in the elderly. The primary-care physicians of Monroe County [see comments]. Am J Prev Med, 14, (2), 89-95.

- Laara E, Day NE, Hakama M. (1987). Trends in mortality from cervical cancer in the Nordic countries: Association with organized screening programmes. Lancet, 1, 1247-1249.
- Landis SE, Hulkower SD, Pierson S. (1992). Enhancing adherence with mammography through patient letters and physician prompts. A pilot study. N C Med J, 53, (11), 575-8.
- Lane DS, Polednak AP, Burg MA. (1991). Effect of continuing medical education and cost reduction on physician compliance with mammography screening guidelines. J Fam Pract, 33, (4), 359-68.
- Larson EB, Bergman J, Heidrich F, Alvin BL, Schneeweiss R. (1982). Do postcard reminders improve influenza compliance? A prospective trial of different postcard 'cues'. Med Care, 20, (6), 639-48.
- Lave JR, Ives DG, Traven ND, Kuller LH. (1996). Evaluation of a health promotion demonstration program for the rural elderly. Health Serv Res, 31, (3), 261-81.
- Lurie N, Manning WG, Peterson C, Goldberg GA, Phelps CA, Lillard L. (1987). Preventive care: do we practice what we preach? Am J Public Health, 77, (7), 801-4.
- Majeed A, Given-Wilson R, Smith E. (1997). Impact of follow up letters on non-attenders for breast screening: a general practice based study. J Med Screen, 4, (1), 19-20.
- Mandel I, Franks P, Dickinson J. (1985). Improving physician compliance with preventive medicine guidelines. J Fam Pract, 21, (3), 223-4.
- Mandel JS, Bond JH, Church TR, et al. (1993). Reducing mortality from colorectal cancer by screening for fecal occult blood. N Engl J Med, 328, 1365-1371.

- Mandelblatt J, Traxler M, Lakin P, Thomas L, Chauhan P, Matseoane S, Kanetsky P. (1993). A nurse practitioner intervention to increase breast and cervical cancer screening for poor, elderly black women. J Gen Intern Med, 8, 173-178.
- Manfredi C, Czaja R, Freels S, Trubitt M, Warnecke R, Lacey L. (1998). Prescribe for health. Improving cancer screening in physician practices serving low-income and minority populations [see comments]. Arch Fam Med, 7, (4), 329-37.
- Mant D, Fuller A, Northover J, Astrop P, Chivers A, Crockett A, Clements S, Lawrence M. (1992). Patient compliance with colorectal cancer screening in general practice[see comments]. Br J Gen Pract, 42, (354), 18-20.
- Margolis KL, Wuorenma J, Von Stenberg TL. (1992). Exporting a successful influenza vaccination program from a teaching hospital to a community outpatient setting. J Am Geriatr Soc, 40, 1021-1023.
- McDowell I, Newell C, Rosser W. (1986). Comparison of three methods of recalling patients for influenza vaccination. CMAJ, 135, (9), 991-7.
- McDowell I, Newell C, Rosser W. (1989). Computerized reminders to encourage cervical screening in family practice. J Fam Pract, 28, (4), 420-4.
- McPhee SJ, Bird JA, Fordham D, Rodnick JE, Osborn EH. (1991). Promoting cancer prevention activities by primary care physicians. Results of a randomized, controlled trial. JAMA, 266, 538-544.
- McPhee SJ, Bird JA, Jenkins CN, Fordham D. (1989). Promoting cancer screening. A randomized, controlled trial of three interventions. Arch Intern Med, 149, (8), 1866-72.
- Miller AB, Lindsay J, Hill GB. (1976). Mortality from cancer of the uterus in Canada and its relationship to screening for cancer of the cervix. Int J Cancer, 17, 602-612.

Moher D, Pham D, Jones A, Cook DJ, Jadad AR, Moher M, Tugwell P, Klassen TP. (1998).

Does quality of reports of randomized trials affect estimates of intervention efficacy reported in meta-analyses? [see comments]. Lancet, 352, 609-613.

Mohler PJ. (1995). Enhancing compliance with screening mammography

recommendations: a clinical trial in a primary care office. Fam Med, 27, (2), 117-21.

Moran WP, Nelson K, Wofford JL, Velez R, Case LD. (1996). Increasing influenza

immunization among high-risk patients: education or financial incentive? Am J Med, 101, (6), 612-20.

Morrison AS, Brisson J, Khalid N. (1988). Breast cancer incidence and mortality in the Breast

Cancer Detection Demonstration Project. J Nat Cancer Inst, 80, 1540-1547.

Morrissey J.P., Harris RP, Norburn JK, et al.. (1995). Medicare reimbursement for

preventive care. Changes in performance of services, quality of life, and health care costs. Med Care, 33, 315-331.

Navarro AM, Senn KL, Kaplan RM, McNicholas L, Campo MC, Roppe B. (1995). Por la

vida intervention model for cancer prevention in Latinas. J Natl Cancer Inst Monogr, (18) p137-45,

Nexoe J, Kragstrup J, Ronne T. (1997). Impact of postal invitations and user fee on

influenza vaccination rates among the elderly. A randomized controlled trial in general practice. Scand J Prim Health Care, 15, (2), 109-12.

Nichol KL, Margolis KL, Wuorenma J, et al. (1994). The efficacy and cost effectiveness of

vaccination against influenza among elderly persons living in the community. N Engl J Med, 331, 778-784.

Nystrom L, Rutqvist LE, Wall S, et al. (1993). Breast cancer screening with mammography:

Overview of Swedish randomised trials. Lancet, 341, 973-978.

OH025. (OH). 1996 Hospital Based Influenza Vaccination Project. Pp. Peer Review

Systems.

Pierce M, Lundy S, Palanisamy A, Winning S, King J. (1989). Prospective randomised

controlled trial of methods of call and recall for cervical cytology screening [see comments]. BMJ, 299, (6692), 160-2.

Rhew DC, Glassman PA, and Goetz MB. (1999). Improving pneumococcal vaccine rates

nurse protocols versus clinical. J Gen Intern Med, 14, (6), 351-6.

Ries LAG, Miller BA, Hankey BF, et al. (Eds.). (1994). SEER cancer statistics review, 1973-

1991: Tables and graphs. Bethesda, MD: National Cancer Institute.

Robson J, Boomla K, Fitzpatrick S, Jewell AJ, Taylor J, Self J, Colyer M. (1989). Using

nurses for preventive activities with computer assisted followup: a randomised controlled trial. BMJ, 298, (6671), 433-6.

Rosser WW, McDowell I, Newell C. (1991). Use of reminders for preventive procedures

in family medicine. Can Med Assoc J, 145, (7), 807-813.

Ruchlin HS. (1997). Prevalence and correlates of breast and cervical cancer screening among

older women. Obstet Gynecol, 90(1), 16-21.

Sharp DJ, Peters TJ, Bartholomew J, Shaw A. (1996). Breast screening: a randomised

controlled trial in UK general practice of three interventions designed to increase uptake. J Epidemiol Community Health, 50, (1), 72-6.

Sigurdsson K. (1993). Effect of organized screening on the risk of cervical cancer: Evaluation of

screening activity in Iceland, 1964-1991. Int J Cancer, 54, 563-570.

- Smith DM, Zhou Z-HP, Weinberger MP, Smith FM, McDonald RC. (1999) Mailed Reminders for Area-Wide Influenza Immunization: A Randomized Controlled Trial. JAGS, 47, 1-5.
- Stevens SA, Cockburn J, Hirst S, Jolley D. (1997). An evaluation of educational outreach to general practitioners as part of a state-wide cervical screening program. Am J Public Health, 87, (7), 1177-81.
- Stuck AE, Siu AL, Wieland GD, Adams J, Rubenstein LZ. (1993). Comprehensive geriatric assessment: a meta-analysis of controlled trials. Lancet, 342, 1032-6.
- Suarez L, Roche RA, Pulley LV, Weiss NS, Goldman D, Simpson DM. (1997). Why a peer intervention program for Mexican-American women failed to modify the secular trend in cancer screening. Am J Prev Med, 13, (6), 411-7.
- Sung JF, Blumenthal DS, Coates RJ, Williams JE, Alema-Mensah E, Liff JM. (1997). Effect of a cancer screening intervention conducted by lay health workers among inner-city women. Am J Prev Med, 13, (1), 51-7.
- Tabar L, Fagerberg G, Duffy SW, et al. (1992). Update of the Swedish two-county program of mammographic screening for breast cancer. Radiol Clin North Am, 30, 187-210.
- Thompson RS, Michnich ME, Gray J, Friedlander L, Gilson B. (1986). Maximizing compliance with hemocult screening for colon cancer in clinical practice. Med Care, 24, (10), 904-14.
- Tierney WM, Hui SL, McDonald CJ. (1986). Delayed feedback of physician performance versus immediate reminders to perform preventive care. Effects on physician compliance. Med Care, 24, 659-666.
- U.S. Preventive Services Task Force. (1996). Guide to clinical preventive services, 2nd ed. Alexandria, Virginia: International Medical Publishing.

Vernon SW. (1997). Participation in colorectal cancer screening: A review. J Natl Cancer Inst, 89(19), 1406-1422.

Ward J, Sanson-Fisher R. (1996). Does a 3-day workshop for family medicine trainees improve preventive care? A randomized control trial. Prev Med, 25, (6), 741-7.

Wenger JD, Hightower AW, Facklam RR, et al. (1990). Bacterial meningitis in the United States, 1996: Report of a multistate surveillance study. J Infect Dis, 162, 1316-1323.

Wingo PA, Tong T, Bolden S. (1995). Cancer statistics, 1995. CA Cancer J Clin 45(2), 8-30.

Winickoff RN, Coltin KL, Morgan MM, Buxbaum RC, Barnett GO. (1984). Improving physician performance through peer comparison feedback. Med Care, 22, 527-534